





Manual Filters




Disc Filters

Photo	Product code	Specification	Qty/Bag (Pcs)	Qty /Ctn (Pcs)	Ctn size (cm)	G.W (kg)
	PRD025Y	3/4", length:180mm, 0.28kg, Flow rate 5m ³ /h, Max. pressure 6 bar Mesh: 120	1	45	54*35*28	13
	PRD032Y	1", Length:180mm, 0.28kg, Flow rate 6m ³ /h, Max. pressure 6 bar Mesh: 120	1	45	54*35*28	14
	PRD025FMY	3/4", length:0.28kg, Flow rate 5m ³ /h, Max. pressure 6 bar Mesh: 120	1	45	54*35*28	14
	PRD025YN	3/4", Size:180x180x100mm ,0.39kg, Flow rate 6m ³ /h, Max. pressure 8 bar Mesh: 120	1	33	54*35*28	13
	PRD032YN	1", Size: 180x180x100mm, 0.39kg, Flow rate 6m ³ /h, Max. pressure 8 bar Mesh: 120	1	33	54*35*28	14
	PRD040Y	1-1/4", Size:250x220x120mm,0.96kg, Flow rate 8m ³ /h, Max. pressure 8 bar Mesh: 120	1	20	64*36*42	22
	PRD050Y	1-1/2", Size:250x220x120mm,0.96kg, Flow rate 10m ³ /h, Max. pressure 8 bar Mesh: 120	1	20	64*36*42	22
	PRD063Y	2", Size:290x260x150mm,1.35kg, Flow rate 18m ³ /h, Max. pressure 8 bar Mesh: 120	1	13	64*36*42	21
	PRD075Y	2-1/2", Size:290x260x150mm,1.35kg, Flow rate 18m ³ /h, Max. pressure 8 bar Mesh: 120	1	8	64*36*42	18
	PRD090Y	3", Size:290x260x150mm,1.35kg, Flow rate: 18m ³ /h, Max. pressure: 8 bar Mesh: 120	1	4	64*36*42	10
	PRD040T	1-1/4", Size: 270x210x135mm,1.02kg, Flow rate 10m ³ /h, Max. pressure 8 bar Mesh: 120	1	20	64*36*42	23
	PRD050T	1-1/2", 270x210x135mm,1.11kg Flow rate 10m ³ /h, Max. pressure 8 bar Mesh: 120	1	20	64*36*42	23
	PRD063T	2", Size:270x210x135mm,1.11kg, Flow rate 10m ³ /h, Max. pressure 8 bar Mesh: 120	1	20	64*36*42	24



	PRD063T30	2",Size: 630x350x225mm,6.4 kg, Flow rate 30m3/h, Max. pressure 10 bar Mesh: 120	1	1	63*36*24	8
	PRD075T40	2-1/2",Size: 630x350x225mm,6.4kg, Flow rate 40m3/h, Max. pressure 10 bar Mesh: 120	1	1	63*36*24	8
	PRD090T50	3",Size: 750x350x225mm,7.6kg, Flow rate 50m3/h, Max. pressure 10 bar Mesh: 120	1	1	75*36*24	9
	PRD090H50	3",H type, Size: 945x340x220mm,9.05kg, Flow rate 50m3/h, Max. pressure 10 bar Mesh: 120	1	1	96*36*24	12
	PRD110H70	4",H type, Size: :960x340x220mm,9.39kg, Flow rate 70m3/h, Max. pressure 10 bar Mesh: 120	1	1	96*36*24	13
	PRD110H100	4",H type, Size: :1200x340x220mm ,11.7kg, Flow rate 100m3/h, Max. pressure 10 bar Mesh: 120	1	1	120*36*24	16

Screen Filters

Photo	Product code	Specification	Qty/Bag (Pcs)	Qty /Ctn (Pcs)	Ctn size (cm)	G.W (kg)
	PRS025Y	3/4",Length:180mm, 0.2kg, Flow rate 5m3/h, Max. pressure 6 bar Mesh:120	1	45	54*35*28	10
	PRS032Y	1" Length:180mm,0.22kg, Flow rate 6m3/h, Max. pressure 6 bar Mesh:120	1	45	54*35*28	10
	PRS025FMY	3/4", Length:180mm Flow rate 5m3/h, Max. pressure 6 bar Mesh:120	1	45	54*35*28	11
	PRS025YN	3/4", Size: 180x180x100mm,0.28kg Flow rate 6m3/h, Max. pressure 8bar Mesh:120	1	33	54*35*28	12
	PRS032YN	1" ,Size:180x180x100mm, 0.28kg Flow rate 6m3/h, Max. pressure 8 bar Mesh:120	1	33	54*35*28	12
	PRS040Y	1-1/4",Size:250x220x120mm,0.7kg, Flow rate 8m3/h, Max. pressure 8 bar Mesh:120	1	20	64*36*42	18



	PRS050Y	1-1/2",Size:250x220x120mm,0.7kg, Flow rate 10m3/h, Max. pressure 8 bar Mesh:120	1	20	64*36*42	18
	PRS063Y	2",Size:290x260x150mm,1.0kg, Flow rate 18m3/h, Max. pressure 8 bar Mesh:120	1	13	64*36*42	16
	PRS075Y	2-1/2",Size:290x260x150mm,1.0kg, Flow rate 18m3/h, Max. pressure 8 bar Mesh:120	1	8	64*36*42	16
	PRS090Y	3",Size:290x260x150mm,1.0kg, Flow rate 18m3/h, Max. pressure 8 bar Mesh:120	1	4	64*36*42	10
	PRS040T	1-1/4",Size: 270x210x135m,0.75kg, Flow rate 10m3/h, Max. pressure 8 bar Mesh:120	1	20	64*36*42	17
	PRS050T	1-1/2", 270x210x135mm,0.76kg Flow rate 10m3/h, Max. pressure 8 bar Mesh:120	1	20	64*36*42	17
	PRS063T	2",Size:270x210x135mm,0.76kg, Flow rate 10m3/h, Max. pressure 8 bar Mesh:120	1	20	64*36*42	18
	PRS063T30	2",Size: 630x350x225mm, 4.785 kg, Flow rate 30m3/h, Max. pressure 10 bar Mesh:120	1	1	64*36*24	6
	PRS075T40	2-1/2",Size: 630x350x225mm, 4.85 kg, Flow rate 40m3/h, Max. pressure 10 bar Mesh:120	1	1	64*36*24	7
	PRS090T50	3",Size: 750x350x225mm,5.7 kg, Flow rate 50m3/h, Max. pressure 10 bar Mesh:120	1	1	75*36*24	7
	PRS090H50	3",H type, Size: 945x340x220mm,6.11kg, Flow rate 50m3/h, Max. pressure 10 bar Mesh:120	1	1	96*36*24	10
	PRS110H70	4",H type, Size: :960x340x220mm,6.45kg, Flow rate 70m3/h, Max. pressure 10 bar Mesh:120	1	1	96*36*24	10
	PRS110H100	4",H type, Size:1200x340x220mm m,7.9kg, Flow rate 100m3/h, Max. pressure 10 bar Mesh:120	1	1	120*36*24	13



	PRF63SC	Semi-Automatic Screen Filter 2", male thread, Raw material: PP Size: 905x345x220mm Net weight: 8.3kg Maximum flow rate: 30m ³ /h Maximum pressure: 10bar Mesh: 120	1	1	81*36.5*31	9.5
	PRF63SCF	2", For flange connection Mesh: 80, 120	1	1	81*36.5*31	9.5
	PRF90SC	Semi-Automatic Screen Filter 3", male thread, Raw material: PP Size:1045x360x220mm Net weight: 10.45kg Maximum flow rate: 50m ³ /h Maximum pressure: 10bar Mesh: 120	1	1	98.5*36.5*31	12
	PRF90SCF	3", For flange connection Mesh: 80, 120	1	1	98.5*36.5*31	12
	PRFL060	2" Flange with rubber ring, Female thread, Material: PA6 Bolts and nuts: M16x130mm.	1	100	64*36*42	30
	PRFL090	3" Flange with rubber ring, Female thread, Material: PA6 Bolts and nuts: M16x130mm.	1	50	64*36*42	27
	PRFL0110	4" Flange with rubber ring, Female thread, Material: PA6 Bolts and nuts: M16x130mm.	1	37	64*36*42	27